

HZL/RDC TOWNSHIP/EC-CR/2025-26/H2**Date: 28.05.2026**

To,

The Member Secretary,
SEIAA Rajasthan,
Aravalli Bhawan, Jhalana Institutional Area,
Jaipur.,302004

Sub: Six monthly Environment Clearance Compliance Report for Township and Residential Colony of M/s Hindustan Zinc Limited located at Dariba for the period of March'26.

Ref:

1. EC Letter No. RJ/24/SEAC-4(06)/INFRA2/EC/0001 dated 04.03.2026

Sir,

With reference to aforesaid subject and cited references, it is to inform that we are herewith submitting six monthly Compliance report for the conditions stipulated in the Environment Clearances of Township and Residential Colony of M/s Hindustan Zinc Limited located at Dariba for **March'26** along with monitoring data report for your kind consideration.

- The copy of above compliance report is also being sent in soft format through email to(iro.jaipur-mefcc@gov.in) for your kind perusal. Also copy of Rajpura Dariba Mines and Dariba Smelting complex EC Compliance has been uploaded on company website <https://www.hzindia.com/sustainability/environment-compliance/>

We trust that the measures taken towards environmental safeguards comply with the stipulated environmental conditions. We look forward to your further guidance which shall certainly help us in our endeavor to further improve our Environmental Management Practices.

Hope the above is in line with statutory requirements.

Thanking you,

For Hindustan Zinc Limited

Yours faithfully,



(Rohit Vijay)
SBU Director
Dariba Smelter Complex

Enclosures: Six monthly EC compliance report with Annexure:

Annexure I	:	Fresh water usage for Colony
Annexure II	:	STP treated water analysis report
Annexure III	:	Ambient Noise monitoring report
Annexure IV	:	Environment Policy
Annexure V	:	Advertisement of Grant of EC

Cc:

- 1) The Deputy Director,
Integrated Regional Office, Ministry of Environment Forest and Climate
Change(MoEFCC),
A-209 & 218, Aranya Bhawan, Mahatma Gandhi Road,
Jhalana Institutional Area,
Jaipur-302004
- 2) The Member Secretary,
Rajasthan State Pollution Control Board,
4th, Institutional Area, Jhalana Doongari, Jaipur-302004
- 3) Office Copy

Six Monthly EC Compliance Report (March 2026), Township and Residential colony at Rajpura Dariba Complex of Hindustan Zinc Limited, Village Dariba, Tehsil - Railmagra, Dist. - Rajsamand, Rajasthan

1. Statutory Compliance

S. No	EC Conditions	Status of compliance
1.1	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Noted and complied.
1.2	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc.	Noted for complied.
1.3	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project	Not applicable as no forest land involved in the project.
1.4	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	Not applicable. There is no wild life sanctuary in project area.
1.5	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.	CTO renewal application is submitted vide application no. A-00015235 dated 07.03.2026.
1.6	The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.	Noted and complied for Surface water. Not applicable for ground water as no ground water is extracted.
1.7	A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.	Not applicable, power is being supplied from own Captive Power Plant/ Renewable Energy/ RSEB.
1.8	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable, by project proponents from the respective competent authorities.	Not applicable this is township and residential colony project.
1.9	The provisions of the Solid Waste Management Rules, 2016, e-Waste (Management) Rules, 2016, and the Plastics Waste Management Rules, 2016, shall be followed.	Noted & complied.

Six Monthly EC Compliance Report (March 2026), Township and Residential colony at Rajpura Dariba Complex of Hindustan Zinc Limited, Village Dariba, Tehsil - Railmagra, Dist. - Rajsamand, Rajasthan

	all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site.	
2.6	Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution.	Noted & complied during construction phase.
2.7	Wet jet shall be provided for grinding and stone cutting.	Noted & complied during construction phase.
2.8	Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	Complied & most of the area in the colony is paved and unpaved area covered with green belt/plantation.
2.9	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Management Rules 2016.	Noted & complied during construction phase.
2.10	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	Not applicable, as no DG set installed at township & residential.
2.11	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	Not applicable, as no DG set installed at township & residential.
2.12	For indoor air quality the ventilation provisions as per National Building Code of India.	Noted & complied.

3. Water Quality Monitoring And Preservation

S. No	EC Conditions	
3.1	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other	Noted & complied.

Six Monthly EC Compliance Report (March 2026), Township and Residential colony at Rajpura Dariba Complex of Hindustan Zinc Limited, Village Dariba, Tehsil - Railmagra, Dist. - Rajsamand, Rajasthan

3.10	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Noted
3.11	The local bylaws provisions on rain water harvesting should be followed. If local bylaw provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Bylaws, 2016. Rain water harvesting recharge pits/storage tanks shall be provided for ground water recharging as per the CGWB norms.	As the project involves the underground mining, taking this into consideration no insitu ground water recharge has been provided, while for the water conservation exsitu ground water recharge through pond deepening has been done.
3.12	A rain water harvesting plan needs to be designed where the recharge bores of minimum one recharge bore per 5,000 square meters of built up area and storage capacity of minimum one day of total fresh water requirement shall be provided. In areas where ground water recharge is not feasible, the rain water should be harvested and stored for reuse. The ground water shall not be withdrawn without approval from the Competent Authority.	As the project involves the underground mining, taking this into consideration no insitu ground water recharge has been provided, while for the water conservation exsitu ground water recharge through pond deepening has been done
3.13	All recharge should be limited to shallow aquifer.	Noted & Complied.
3.14	No ground water shall be used during construction phase of the project.	No ground water extracted for use in project.
3.15	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	Noted and complied. Water requirement is met from Matrikundia & Mansiwakal dam. No ground water extracted for use in project.
3.16	The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Noted and complied. Fresh water usage and record is attached herewith as Annexure I to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
3.17	Sewage shall be treated in the STP with tertiary treatment. The treated effluent from STP shall be recycled/re-used for flushing, AC make up water and gardening. As proposed, no treated water shall be disposed in to municipal drain.	STP treated water is used for horticulture purposes.
3.18	No sewage or untreated effluent water would be discharged through storm water drains.	Noted and being complied
3.19	Onsite sewage treatment of capacity of treating 100% waste water to be installed. The installation of the Sewage Treatment Plant (STP) shall be	1000 KLD Sewage Treatment Plant is installed(2X500 KLD) and Recycled STP

Six Monthly EC Compliance Report (March 2026), Township and Residential colony at Rajpura Dariba Complex of Hindustan Zinc Limited, Village Dariba, Tehsil - Railmagra, Dist. - Rajsamand, Rajasthan

4.5	No piling activity should be done during the night hours.	Noted for compliance.
-----	---	-----------------------

5. Energy Conservation Measures

S. No	EC Conditions	
5.1	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.	Noted for compliance
5.2	Outdoor and common area lighting shall be LED.	Noted and complied
5.3	Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.	Noted for compliance
5.4	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.	Noted & complied
5.5	Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.	Site has agreement for use renewable energy & have own captive power plant for its operation at Rajpura Dariba Complex including Township.
5.6	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Site has agreement for use renewable energy & has own captive power plant for its operation at Rajpura Dariba Complex including Township.
5.7	EV Charging station shall be installed. A minimum of 10% of the total required parking/ECU space shall be reserved for Electric Vehicle (EV) Charging Facility.	Noted and complied.
5.8	Energy audit shall be conducted within one year of operation.	Energy audit is being conducted in our operations plant.

Six Monthly EC Compliance Report (March 2026), Township and Residential colony at Rajpura Dariba Complex of Hindustan Zinc Limited, Village Dariba, Tehsil - Railmagra, Dist. - Rajsamand, Rajasthan

6.10	Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.	Noted & complied.
6.11	Provide temporary storage for C & D waste till it is properly disposed.	Noted for compliance.

7. Green Cover

S. No	EC Conditions	
7.1	No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. Plantations to be ensured species (cut) to species (planted).	Noted & complied.
7.2	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.	Noted and Complied
7.3	Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.	Noted for compliance
7.4	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	Noted for compliance.
7.5	The PP shall plant tree species with the potential to absorb the dust pollution emanating from the mining activities and also has the better survival in the region like Neem (Azadirachta indica), Karanj (Milletia pinnata), Ber (Zizyphus mauritiana), Shisham (Dalbergia sissoo), Jamun (Syzigium cumini), Peepal (Ficus religiosa), Bargad (Ficus benghalensis), Kachnar (Bauhinia variegata) and	Noted and complied

Six Monthly EC Compliance Report (March 2026), Township and Residential colony at Rajpura Dariba Complex of Hindustan Zinc Limited, Village Dariba, Tehsil - Railmagra, Dist. - Rajsamand, Rajasthan

	Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	
--	--	--

9. Human Health Issues

S. No	EC Conditions	
9.1	All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Noted for compliance
9.2	For indoor air quality the ventilation provisions as per National Building Code of India.	Noted and complied
9.3	Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	Noted for compliance
9.4	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Noted & complied
9.5	Occupational health surveillance of the workers shall be done on a regular basis.	Occupational health surveillance of worker is being done.
9.6	A First Aid Room shall be provided in the project both during construction and operations of the project.	Dedicated OHC/Hospital is established.
9.7	Provide PPE (Personal protective equipment) for construction workers.	Noted and PPE's being provided to worker.

10. Miscellaneous

S. No	EC Conditions	
10.1	The project proponent shall prominently advertise it in at least two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed	Noted & complied. The advertisement for the grant of EC has been published on dated 10.03.2026 in Dainik Bhaskar and Rajasthan Patrika attached herewith as Annexure V.

Six Monthly EC Compliance Report (March 2026), Township and Residential colony at Rajpura Dariba Complex of Hindustan Zinc Limited, Village Dariba, Tehsil - Railmagra, Dist. - Rajsamand, Rajasthan

	under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	
10.9	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted
10.10	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted
10.11	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during their presentation to the Expert Appraisal Committee.	Noted
10.12	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change (MoEF&CC).	Noted for compliance.
10.13	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted
10.14	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted
10.15	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted
10.16	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.	Noted
10.17	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Noted
10.18	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as	Noted

Annexure-I

**Hindustan Zinc Limited
Dariba Smelter Complex
Dariba, Dist. Rajsamand, Rajasthan**

**Daily Water Consumption Report of Township/Residential Colony
(October'26 to March'26)**

Month	Water Consumption. KL/Day
Oct-25	1479
Nov-25	1270
Dec-25	1454
Jan-26	1552
Feb-26	1602
Mar-26	1440



(Hamendra Sharma)

Manager

RDM


VIBRANT

Sample Number : VTL/WW/04



TC-16019

VIBRANT TECHNO LAB PVT. LTD.

ISO 9001, 14001 & 45001 Certified Company

EPA Recognized Laboratory | NABET Accredited EIA Consultant Organisation

TEST REPORT

Name & Address of the Party :

Sample Description : Waste Water

Sampling Location : STP Outlet (Ornex)

Sample Collected By : VTL Team

Preservation : Suitable Preservation

Method of sampling : IS: 3025

ULR No. : TC1601926000001086F

Report No. : VTL/WW/2602120004/A

Format No : 7.8 F-01

Party Reference No : NIL

Report Date : 20/02/2026

Period of Analysis : 12/02/2026-20/02/2026

Receipt Date : 12/02/2026

Sampling Date : 10/02/2026

Sampling Type : Grab

Sample Quantity : 2 Ltr.

Coordinates : —

S.No.	Test Parameters	Test Method	Result	Unit	Limits
1	pH	IS: 3025 (P-11): 2022	7.27	-	8.5 to 9.0
2	Total Suspended Solids (TSS)	IS: 3025 (P-17): 2022	15.4	mg/L	100
3	Oil & Grease	IS: 3025 (P-39): 2021	*BLQ (**LOQ-4.0)	mg/L	10
4	Ammonical Nitrogen (as NH ₄ -N)	IS 3025 (P-34) : Sec 1 : 2023 (Clause 5.3)	3.54	mg/L	50
5	Biochemical Oxygen Demand (BOD) (3 days @ 27°C)	IS: 3025 (P-44): 2023	7.56	mg/L	30
6	Chemical oxygen Demand (COD)	IS : 3025 (P-56) : 2023	28	mg/L	250
7	Faecal coliform	APHA 24th Edition 9221 C: 2023	63	MPN/100 ml	1000

*BLQ-Below Limit Of Quantification, **LOQ- Limit Of Quantification

End of Report



Checked by


RK Yadav
Lab Incharge
Authorized Signatory


Corporate & Registered Office:

Plot No. Q-39, Shringarpura, Narayan Vihar Q,
Bhankrota, Jaipur 302026 (Raj.)

☎ 0141-2954638 ✉ bd@vibranttechnolab.com

🌐 www.vibranttechnolab.com

Terms & Conditions:

1. The Result Listed refer only to the tested sample and applicable parameters.
2. Total Liability of our concern is limited to the invoiced amount.
3. The report is not to be reproduced wholly or part and cannot be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.
4. Authenticity of Test Report and Accreditation status may be seen online through QR Code.
5. Retention period of sample will be 30 days only, any query beyond 30 days will not be entertained.

Page No. 1/1



ITS TESTING LABORATORY PRIVATE LIMITED

Laboratory: A-114, Sector-80, Phase-II Noida, Gautam Budh Nagar - 201305, (U.P.)

(An ISO 9001: 2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory)

Website: www.itslab.in, Email: itrlclab@gmail.com, info@itslab.in, contact@itslab.in

+91 9911659800, 9305780312, 09958849764

Test Report

Ambient Noise Quality Analysis

Report Code: N-180326-08

Issue Date: 04/04/2026

ISSUE TO: M/s. Hindustan Zinc Limited, RD Mines,
P. O.: Dariba - 313211, Distt. Rajsamand, Rajasthan

SAMPLING & ANALYSIS DATA

Date of Monitoring : 15.03.2026
Date of start of testing : 15.03.2026
Date of end of testing : 16.03.2026
Duration of sampling : 24 Hrs.
Type of Industry : Mining of Non-Ferrous Metals
Parameter required : Ambient Noise

Results

Name of Location	Parameter	Results dB (A)	
		Day Time	Night Time
Near Laboratory Area	Leq	60.3	56.4
Near Screen House Area	Leq	70.6	57.1
Near Concentrate Yard Area	Leq	63.6	59.2
Near DG Set Area	Leq	61.7	55.6
Near A B Type Quarter Area	Leq	59.4	50.1
Near Canteen Area	Leq	67.4	58.5
Near ADM Building Area	Leq	52.1	48.6
Near Mines Building Area	Leq	57.5	48.2
Near Annpurna Temple Area	Leq	55.5	50.4

Category of Zones	Leq in dB(A)	
	Day	Night
Industrial	75	70
Commercial	65	55
Residential	55	45
Silence	50	40

1. Day time if from 6.00am to 10 pm
2. Night time if from 10.00 pm to 6 am
3. Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority.
4. Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority

Checked By



Terms & Conditions :

1. Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed as per quality policy.
3. Any complaints about the report should be communicated in writing within 7 days.
4. Total liability of our laboratory is limited to invoiced amount.

चतुर्थ श्रेणी कर्मियों के दस्तावेज का सत्यापन 11 से

जम्मू (संवाद) राज्य के चतुर्थ श्रेणी कर्मियों के दस्तावेज का सत्यापन 11 से शुरू हो रहा है। चतुर्थ श्रेणी कर्मियों के दस्तावेज का सत्यापन 11 से शुरू हो रहा है। चतुर्थ श्रेणी कर्मियों के दस्तावेज का सत्यापन 11 से शुरू हो रहा है।

अप्रैल

आरएसएस में 2023: उत्तर पुस्तिका देखने के लिए आवेदन शुरू



राज्य (संवाद) प्रशासन, 2023 के अप्रैल माह के लिए उत्तर पुस्तिका देखने के लिए आवेदन शुरू कर दिया है। उत्तर पुस्तिका देखने के लिए आवेदन शुरू कर दिया है। उत्तर पुस्तिका देखने के लिए आवेदन शुरू कर दिया है।

प्रदेश को जल्द मिलेंगे 1096 नए प्रशासनिक अधिकारी

1 जून तक नए अधिकारी मिलेंगे। 1096 नए प्रशासनिक अधिकारी मिलेंगे। 1096 नए प्रशासनिक अधिकारी मिलेंगे।

2024 बर्ती की टाइम लाइन। 2024 बर्ती की टाइम लाइन। 2024 बर्ती की टाइम लाइन।

ऐसे समझें परीक्षा का गणित। ऐसे समझें परीक्षा का गणित। ऐसे समझें परीक्षा का गणित।

2019-22 की अवधि में परीक्षाओं का गणित। 2019-22 की अवधि में परीक्षाओं का गणित। 2019-22 की अवधि में परीक्षाओं का गणित।

औसतन दो साल लग रहे...

प्रदेश के 41 जिलों में 25.87 लाख विद्यार्थी देंगे एसेसमेंट

सर्कारी स्कूलों में 14 मार्च से एआइ आधारित दक्षता आकलन

सर्कारी स्कूलों में 14 मार्च से एआइ आधारित दक्षता आकलन। सर्कारी स्कूलों में 14 मार्च से एआइ आधारित दक्षता आकलन। सर्कारी स्कूलों में 14 मार्च से एआइ आधारित दक्षता आकलन।

जोधपुर

एक लाख से अधिक विद्यार्थी देंगे पेपर

जेएनवीयू: आज से शुरू होंगी स्नातक स्तरीय सेमेस्टर परीक्षाएं

जेएनवीयू: आज से शुरू होंगी स्नातक स्तरीय सेमेस्टर परीक्षाएं। जेएनवीयू: आज से शुरू होंगी स्नातक स्तरीय सेमेस्टर परीक्षाएं। जेएनवीयू: आज से शुरू होंगी स्नातक स्तरीय सेमेस्टर परीक्षाएं।

कार्सलिंग कॉर्न

क्षमता व करियर की संभावना को देखें, फिर चुनें संकाय

जोधपुर जिले में सर्वाधिक परीक्षार्थी

जोधपुर जिले में सर्वाधिक परीक्षार्थी। जोधपुर जिले में सर्वाधिक परीक्षार्थी। जोधपुर जिले में सर्वाधिक परीक्षार्थी।

एमसीए की परीक्षाएं भी शुरू होंगी

एमसीए की परीक्षाएं भी शुरू होंगी। एमसीए की परीक्षाएं भी शुरू होंगी। एमसीए की परीक्षाएं भी शुरू होंगी।

एक अप्रैल से ही विद्यार्थियों के हाथों में होंगी नई किताबें

4.61 करोड़ प्रतियां प्रकाशित की जाएंगी। 4.61 करोड़ प्रतियां प्रकाशित की जाएंगी। 4.61 करोड़ प्रतियां प्रकाशित की जाएंगी।

राज्य में दो चरणों में होगा वितरण। राज्य में दो चरणों में होगा वितरण। राज्य में दो चरणों में होगा वितरण।

कार्सलिंग कॉर्न

क्षमता व करियर की संभावना को देखें, फिर चुनें संकाय

जोधपुर जिले में सर्वाधिक परीक्षार्थी

जोधपुर जिले में सर्वाधिक परीक्षार्थी। जोधपुर जिले में सर्वाधिक परीक्षार्थी। जोधपुर जिले में सर्वाधिक परीक्षार्थी।

एमसीए की परीक्षाएं भी शुरू होंगी

एमसीए की परीक्षाएं भी शुरू होंगी। एमसीए की परीक्षाएं भी शुरू होंगी। एमसीए की परीक्षाएं भी शुरू होंगी।

सीए परीणामों में बढ़ावा क्लासेज ने रचा इतिहास, इस सत्र में 12 ऑल इंडिया रैंक



सीए परीणामों में बढ़ावा क्लासेज ने रचा इतिहास, इस सत्र में 12 ऑल इंडिया रैंक। सीए परीणामों में बढ़ावा क्लासेज ने रचा इतिहास, इस सत्र में 12 ऑल इंडिया रैंक। सीए परीणामों में बढ़ावा क्लासेज ने रचा इतिहास, इस सत्र में 12 ऑल इंडिया रैंक।

देवश्री ट्रस्ट देवगढ़ की ओर से देवगढ़-भीम की 50 होनहार बालिकाओं को दी छत्रवृत्ति

‘शिक्षित बालिका पर ही शिक्षित परिवार और सशक्त समाज की आधारशिला होती है निर्भर’



शिक्षित बालिका पर ही शिक्षित परिवार और सशक्त समाज की आधारशिला होती है निर्भर। शिक्षित बालिका पर ही शिक्षित परिवार और सशक्त समाज की आधारशिला होती है निर्भर। शिक्षित बालिका पर ही शिक्षित परिवार और सशक्त समाज की आधारशिला होती है निर्भर।

असहाय के परिवार को दी सहायता

असहाय के परिवार को दी सहायता। असहाय के परिवार को दी सहायता। असहाय के परिवार को दी सहायता।

राजस्थान Veterinary & Animal Sciences, Bikaner


राजस्थान Veterinary & Animal Sciences, Bikaner। राजस्थान Veterinary & Animal Sciences, Bikaner। राजस्थान Veterinary & Animal Sciences, Bikaner।

कल खेलेंगे रंग, आज होगा रांदा-पुआ



कल खेलेंगे रंग, आज होगा रांदा-पुआ। कल खेलेंगे रंग, आज होगा रांदा-पुआ। कल खेलेंगे रंग, आज होगा रांदा-पुआ।

जोधपुर के ज्वैलरी व्यापारी का नाथद्वारा में मिला शव



जोधपुर के ज्वैलरी व्यापारी का नाथद्वारा में मिला शव। जोधपुर के ज्वैलरी व्यापारी का नाथद्वारा में मिला शव। जोधपुर के ज्वैलरी व्यापारी का नाथद्वारा में मिला शव।

विद्युत्तान जिक लिमिटेड

विद्युत्तान जिक लिमिटेड। विद्युत्तान जिक लिमिटेड। विद्युत्तान जिक लिमिटेड।

माध्यमिक शिक्षा बोर्ड, राजस्थान, अजमेर

माध्यमिक शिक्षा बोर्ड, राजस्थान, अजमेर। माध्यमिक शिक्षा बोर्ड, राजस्थान, अजमेर। माध्यमिक शिक्षा बोर्ड, राजस्थान, अजमेर।



HINDUSTAN ZINC
Zinc & Silver of India

HINDUSTAN ZINC

Environmental Policy

Purpose:

Hindustan Zinc Limited is committed to achieving excellence in environmental management. Our goal is to minimise environmental impacts of our business across the entire lifecycle by implementing pollution-prevention and natural resource conservation actions either on site or off site.

This policy is forward looking and sets a vision for businesses across the Hindustan Zinc Limited.

Scope:

This policy is applicable to all Hindustan Zinc Limited business units, including subsidiaries, joint ventures, and acquisitions, managed sites, licensees, outsourcing partners, corporate offices, and research facilities. This policy is also applicable to all Hindustan Zinc Limited employees, contractor employees, business partners, suppliers, and others with whom Hindustan Zinc does business.

In addition, this policy is applicable throughout the operational lifecycle of the projects and mines, covering stages from exploration and planning to evaluation, operation, and closure. Furthermore, it extends to activities in our upstream and downstream value chain, limited to distribution, logistics, and sale of products and services to the customer.

Objectives of the Environmental Policy:

Hindustan Zinc will strive to:

- ❖ Comply with applicable national, regional, and local environmental regulations and statutory obligations. In the absence (or lack) of appropriate legislation, industry best practices and applicable international standards will be used.
- ❖ Develop, implement, and improve environmental management systems, consistent with world-class standards.
- ❖ Set targets and objectives to avoid, reduce or mitigate Environmental impacts on people and planet.
- ❖ Consistently assess our environmental risks, manage our impacts, take appropriate mitigation and adaptation measures, and communicate our environmental strategy to our stakeholders.
- ❖ Incorporate appropriate environmental criteria for all business decisions including the planning, operationalization, and closure of the projects.
- ❖ Conduct regular environmental review and due diligence of the projects (including for mergers & acquisitions) to identify, prioritize, assess, and take effective actions for mitigating the potential environmental risks.
- ❖ Drive continuous environmental performance improvement by implementing appropriate available practices and technology.
- ❖ Conserve natural resources by adopting environment-friendly and energy-efficient technologies through process improvements.
- ❖ Apply mitigation hierarchy (avoid, reduce, reuse, recycle, disposal) to environmental impacts and adopt the principles of circular economy.
- ❖ Manage impacts related to energy, carbon emissions, waste, nature, air emissions, land-use & biodiversity, and water.
- ❖ Raise awareness of internal and external stakeholders including business partners, suppliers, and other stakeholders on adoption of practices in alignment with our policies, thereby fostering a collective commitment to managing environmental impacts.
- ❖ Provide appropriate training to all employees and emphasise the importance of minimising risks to environment, while also understanding the impacts of their work activities on the environment.
- ❖ Engage with relevant stakeholders in building capacity and capability to identify and proactively manage environmental related issues.
- ❖ Communicate with all our stakeholders on the progress and performance of Environment management.
- ❖ Review the performance against the policy on a periodic basis to ensure management of environmental impacts as per our objectives including the sharing of good practices throughout the organization and stakeholders.

Responsibility & Review:

This policy is part of our Sustainability Framework, and each Hindustan Zinc Limited business unit shall implement this policy. Our CEO will be accountable for controlling and setting the policy, and the Executive Committee are responsible for the full implementation of the policy and associated standards. The Board ESG committee will review this policy annually and recommend appropriate revisions to the Board as may deem necessary.


Related additional policies: Energy & Climate Change Policy, Biodiversity Policy, Water Policy, Tailing Management Policy.

Date: 05th June, 2025

Arun Misra

Arun Misra

CEO & Whole Time Director, HZL



www.hzindia.com