



(Reg. A/D)

HZL/DSC/ENV/ES/2019/3

Date 17.09.2019

To.

The Member Secretary Rajasthan State Pollution Control Board 4, Institutional Area Jhalana Doongri Jaipur-302004

File No. CPM/P-139

Sub: Environmental Statement for the year 2018-19 for Captive Power Plant Unit- I & II (2X85 MW),

Dariba, Rajsamand.

Ref: Consent to Operate No: 2016-2017/CPM/4710 dated 08/12/2016 for Captive Power Plant Unit I

& II (2X85 MW).

Sir,

With reference to above subject please find enclosed herewith the Environmental Statement for the financial year 2018-19 for Captive Power Plant Unit I & II (2X85 MW), Dariba, Rajsamand.

Thanking You,

For Hindustan Zinc Limited

Yours Faithfully

(Manoj Kumar Soni)

Head - Dariba Smelter Complex

Cc:

The Regional Officer
 Rajasthan State Pollution Control Board
 18, Azad Nagar, Near Pannadhay Circle
 Mining office Road
 Bhilwara-311001

The Director,
 Ministry of Environment and Forests,
 5th Floor, Kendriya Bhawan
 Sector H – Aliganj,
 Lucknow – 226024

Hindustan Zinc Limited

Dariba Smelter Complex, P.O. Dariba, Teh. Railmagra, Distt. Rajsamand (Rajasthan) - 313 211 T +91-2952 265 873 - 76 F +91-2952 265 660 www.hzlindia.com

Registered Office: Yashad Bhawan, Udaipur (Rajasthan) - 313 004 CIN: L27204RJ1966PLC001208

Hindustan Zinc Limited Dariba Smelter Complex



ENVIRONMENTAL STATEMENT for CPP Unit I & II (FINANCIAL YEAR ENDING MARCH 31ST 2019)

PREPARED & SUBMITTED BY

Captive Power Plant (2X85)
Dariba Smelter Complex
Hindustan Zinc Limited
P.O. - Dariba, District – Rajasmand
Rajasthan - 313211

FORM-V

Environmental Statement for the financial year ending the 31st March 2019

PART-A

 Name and address of the owner/occupier of the industry operation or process

Sunil Duggal

CEO

M/s. Hindustan Zinc Limited

Dariba Smelter Complex

Hindustan Zinc Limited,

P.O.- Dariba, Tehsil- Relmagra

Dist. - Rajsamand Rajasthan - 313 211

(ii) Industry category

Red/Large

Primary – (STC Code)

AAACH7354KST006

Secondary- (SIC Code)

Not Applicable

(iii) Production Capacity

Captive Power Plant

Generation of Power

2 X 85 MW

(iv) Year of Establishment

: 2010

(v) Date of Last Environmental Statement Submitted

20.09.2018

PART -B WATER AND RAW MATERIAL CONSUMPTION

(1) Water consumption (m3/d)*

Boiler/Cooling

10181

Domestic

108

* Daily water consumption Captive Power Plant (2 x 85 MW) including STP water.

		Process water consumption per unit of product output(cum/MW)		
Name of Product		During the previous financial year	During the current financial year (2)	
		(1)		
Power	With STP water	2.77	2.81	
	Fresh Water (without STP water)	1.05	0.63	

(2) Raw material consumption

		Consumption of raw material per unit of output		
Name of raw material	Name of products	During the previous financial year	During the current financial year	
Coal (Tones)	Power(Mwh)	0.487	0.486	

PART-C

Pollution discharged to environment/ unit of output (Parameter as specified in the consent issued)

Pollutants	Quantity of pollutants discharged (mass/day)	Concentration of pollutants in discharges (mass/volume)	Percentage of variation from prescribed standards
a) Water			
рН			
TDS			
DO			
Suspended Solids			
Oil and Grease			
Chromium as hexavalent			
Manganese	Not Application	able as Zero Discharge is	maintained.
Nickel		_	
Copper			
Zinc			
Cadmium			
Lead			
Mercury			
Cyanide			
b) Air		-	
		СРР	
Particulate matter	711.57 Kg/day	43.46 mg/Nm3	-13.09
NO _x	4640.57 Kg/day	283.42 mg/Nm3	-62.21

PART-D

SOLID WASTE

		Total Quantity (Kg.)			
Solid Waste		During the previous financial year#	During the current financial Year		
(a)	From process				
	- Bottom Ash	16168000	4602860		
(b)	From pollution control facilities				
	- Fly Ash	98989000	73606910		
(c)	1) Quantity recycled or reutilized within the unit.				
	2) Sold-Fly Ash	98989000	73606910		
	3) Sold –Bottom Ash	16168000	4602860		
	4) Disposed-Bottom Ash				

PART-E Details of Solid Wastes & Its Disposal Method

Sr. No.	Name of waste	Quantity Generated (MT)	Quantity used	Disposal Method	
---------	---------------	-------------------------------	---------------	-----------------	--

Environmental Statement

Dariba Smelter Complex

1	Fly Ash	73607	73607	Provided to Cemen Manufacturers
2	Bottom Ash	4603	4603	Provided to Brick manufactures

PART-F

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

Our aim is to preserve the long- term health of the natural environment affected by our operations. We set and achieve targets that promote efficient use of resources and include the reduction and prevention pollution.

Air Environment

Captive Power Plant

In the CPP, electrostatic precipitators of eight fields have been installed and the flue gases pass through ESP before entering into the stack. NOx emission is being restricted to 750 mg/Nm3 by using low NOx burners. Stack of 165-m height has been provided for better dispersion of the pollutants.

The other sources of dust emissions are coal yard and fly ash handling system. For control of these dust emissions effective wetting system (sprinkler system) has been installed. Covered coal conveyors with water sprinkling system using waste water to avoid spillage of coal have been installed. Bag filters to restrict dust emission have been provided at each coal transfer point, crushers, and fly ash silos.

Water Environment

We have a long term approach to water management that aims to improve our performance, recognize the significance of water and contribute to sustainable water management. We understand its importance and adopt best practices for making the judicious use of water and conserve it.

Effluent generated from the Dariba Smelter complex is treated in Effluent Treatment Plant (ETP) of capacity 9000 m3/day along with 8850 m3/day capacity of RO plant

The effluents generated from gas cleaning plant, sulphuric acid plant, anode and cathode washing, DM plant, cooling towers and power plant are treated to neutralize the acidity and to precipitate and remove metallic elements.

Treated water is reused/ recycled in processes. Multiple Effect Evaporator (MEE) and Solar Evaporation Ponds have been provided to treat RO reject water to ensure Zero Effluent Discharge from the plant premises.

Sewage collected from the plant is collected in septic tanks followed by soak pits. Sewage collected from residential colony is treated in Sewage Treatment Plant (STP) established in the colony itself.

Storm water ponds of adequate capacity have been constructed inside the plant premises for storing the drain water for further treatment in the ETP. It is used in the monsoon in conserving the rain water for further use in the plant.

Waste Management

We focus on a '4R' waste strategy - Reduce, Recycle, Reuse and Reclaim and 'Eco-friendly' disposal of process residues. The solid wastes generated Captive Power Plant are given in 'Part F' of the environmental statement.

Fly ash generated from power plant is being provided to cement manufacturers for fly ash based cement manufacturing and bottom ash is being provided to brick manufactures.

Noise

In the CPP area, noise is generated from waste heat recovery boiler, fans, compressors and blowers. All equipments in the Smelter and CPP have been designed /operated to have a noise level in line with the regulatory requirements. Necessary acoustic enclosures have been provided to limit noise levels within the norms.

PART-G

Additional measures/investment proposal for environment protection including abatement of pollution /prevention of pollution.

Green belt Development

Implementation of afforestation program is of paramount importance for Dariba Smelter Complex. In the financial years 2009-2019, 156263 nos. of saplings have been planted successfully. Drip irrigation facility has been provided to all the plant saplings.

The various plant species grown at Dariba Smelter Complex include; Neem (Azadirachta indica), Amaltas (Cassia fistula), Shisum (Dalbergia Shishoo), Ficus Religiosa, Terminalia Arjuna, Karanj (Pongamia pinnata) and Gulmoher (Delonix regia), Sheesham, Pipal, Arjun, Bakan Neem etc. While selecting the plant species for green belt, following points have been taken into consideration:

- Dust capturing efficiency;
- Plant's growth;
- Canopy cover; and

- Origin of plant
- Arid Climatic conditions

PART-H

Any other particular for improving the quality of the environment.

Environmental Monitoring

Regular monitoring of important and crucial environmental parameters is of immense importance to assess the status of environment during plants operation. With the knowledge of baseline conditions, the monitoring program can serve as an indicator for any deterioration in environmental conditions due to operation of the plants and suitable preventive steps could be taken in time to safeguard the environment. Monitoring is as important as that of control of pollution since the efficiency of control measures can only be determined by monitoring. A full-fledged environmental laboratory has been set up for regular monitoring of environmental parameters, inside and outside the plant.

The environmental attributes being monitored are as given below:

- Air Pollution and Meteorological Aspects
- Water and Waste water Quality
- Noise Levels
- Soil Quality

As per CPCB guidelines we have also installed online emission monitoring and effluent quality monitoring system. Real time data is being transmitted to CPCB and RPCB server.