





HZL/RAM/Env/2023-2024/ 1443

Member secretary Rajasthan State Pollution Control Board 4, Institutional Area Jhalan Doongri JAIPUR

Sub: Environment Statement of Rampura Agucha Mine for year 2022-2023

Ref: CTO granted vide order No 2022-2023/Mines/10762 dated 28/02/2023.

CTO granted vide order No 2023-2024/HDF/9370 dated 14/06/2023. CTO granted vide order No 2019-2020/Mines/9959 dated 25/06/2019. CTO granted vide order No 2019-2020/CPM/5547 dated 22/10/2019. EC granted vide letter No J-11015/267/2008-IA.II (M) dated 11.12.2009

Sir/Madam,

Please find enclosed herewith the environmental statement for financial year ending on 31st March 2023.

Thanking you

Yours truly,

(Kishore Kumar S) CEO Agucha IBU CEO - IBU Agucha Hindustan Zinc Limited Rampura Agucha Mines PO - Agucha Distt. - Bhilwara (Raj.)

cc to:

Regional Officer

Rajasthan State Pollution Control Board 18, Azad Nagar, Pannadhay Circle,

Mining Engineer Office Road (Near Telephone Exchange)

Bhilwara (Raj.)

Oc-Em.

The Jointg Director (S)
Ministry of Environment, Forest & Climate Change,
Integrated Regional Office, A-209&218, Aranya Bhawan,
Jhalana Institutional area Jaipur-302004

Hindustan Zinc Limited

Rampura Agucha Mines, P.O. Agucha, Dist. Bhilwara (Rajasthan) - 311 022 M +91-9001294956-57 www.hzlindia.com

Registered Office : Yashad Bhawan, Udaipur (Rajasthan) 313 004 CIN No. L27204RJ1966PLC001208

FORM - 5

ENVIRONMENTAL STATEMENT FOR FINANCIAL YEAR ENDING **ON 31ST MARCH 2023**

PART - A

Name and address of the owner / (i). occupier of the industry/ operation

or process

Sh. Arun Misra

Chief Executive Officer &

Whole Time Director Hindustan Zinc Limited

Yashad Bhawan Udaipur 313 001

Name and address of unit head

Sh. Kisore Kumar S CEO -Agucha IBU Hindustan Zinc Limited Rampura Agucha Mine AGUCHA 311 022 Distt. Bhilwara (Raj) Phone: 01483 - 229011 Fax : 01483 - 229012

Industry category (ii).

Primary (STC code)

Secondary (STC code)

Red

:

Mining of lead-zinc minerals

and ore beneficiation

Not Applicable

(iii). Production Capacity - Units

6.15 Mtpa of lead-zinc ore

production & 6.50 Mtpa lead zinc

ore beneficiation

Year of establishment (iv)

Commissioned on 25/03/91

Date of last environmental statement: (v).

27/09/2022

submitted

<u>PART – B</u> <u>Water and Raw Material Consumption</u>

(i) Water Consumption (m3/day)

	Cum/day
Process	5529.63
Cooling / Services	175.89
Domestic	1840.51

Name of Product	Process water consumption (fresh water) per unit of product output (Ore treatment)		
	During current year 2021-22	During current year 2022-23	
Lead & Zinc	0.396 cum/MT	0.367 cum/MT	
concentrate			

(ii) Raw material consumption

Name of raw material	Name of product	Consumption of raw material per unit of output (gm/MT)*	
		2021-22	2022-23
Copper Sulphate	Lead & Zinc	748.746	703.075
	Concentrate		
MIBC	do	33.743	34.161
Hydrated Lime	do	24.435	34.554
Nigrosine	do	95.054	5.170
Xanthate (PEX & SIPX)	do	151.172	138.199
Sodium Cyanide	do	37.984	33.098

* Raw material consumption is shown as grams per ton of ore treatment.

Production	2021-2022 (MT	2022-2023 (MT)
Ore treatment	5452004	5492672
Lead Concentrate	81132	84901.5
Zinc Concentrate	978250	1029008.3

PART - C

POLLUTION DISCHARGED TO ENVIRONMENT/UNIT OF OUTPUT

(Parameters as specified in the consent issued)

Sr.	Pollut	tants	Quantity of	Concentration	%age of variation
No			pollutants	of pollutants	from prescribed
			discharged	in discharge	standards and
				(mass/volume)	reason
A	Water		Zero discharge	No Discharge	Zero discharge is maintained. Water is
			status	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	reclaimed from tailing dam and reused in
					beneficiation plant.
В	Air dust emission from stack	Primary Crusher Old	5.99 kg/day	24.95 mg/Nm ³	83.36% lesser than stack emission standard
	(SPM)	Primary Crusher New	12.59 kg/day	26.23 mg/Nm ³	82.51% lesser than stack emission standard
		Sec./Ter Crusher	37.66 kg/day	26.15 mg/ Nm ³	82.57% lesser than standard of stack emission

PART - D

HAZARDOUS WASTE

[As specified under Hazardous and other Waste (Management, & Transboundary Movement) Rules 2016]

Hazardous wastes	Total quantity generated during the year	
	2021-2022	2022-23
a. From Process		
Decontaminated drums	3549 Nos	4042 Nos
Used oil	742.72MT	929.4 MT
Insulated Copper wire scrap (Druid)	56.44 MT	98.23 MT

PART - E

Solid Waste

0	Sond Waste			
Sr. No.		Total quantity during the year		
140.		2021-2022	2022-23	
a	From process (Tailings)*	4392621 MT	4378762 MT	
ь	From pollution control facility **	Nil	Nil	
С	Quantity recycled or reutilized	Nil	Nil	
	2. Solid	Nil	Nil	
	3. Disposed***	Nil	Nil	

- * All the tailings of beneficiation plant are being discharged to tailing dam and zero discharge is maintained. Water is reclaimed from tailing dam and is pumped back to beneficiation plant for reuse.
- ** All the dust slurry transported to process plant and utilized.
- *** Used oil sold to registered parties with MoEF / CPCB.

PART-F

Please specify the characterizations (in terms of composition and quantum) of hazardous as well solid wastes and indicate disposal practice adopted for both these categories of waste.

i. The Solid Waste in form of tailings (Non hazardous) generated from beneficiation plant having following mineralogical composition:

Particular	% Content
Total Lead	0.40 - 0.60%
Total Zinc	1.10 - 1.50%
Total Iron	8.30 - 12.30%
Insoluble	60.0 - 66.30%
Gr. Carbon	4.90 - 6.65%
Silica	41.10 – 44.75%
Cd	0.0022 - 0.0044%

Tailing in the form of slurry (containing 60% solids) is being discharged in the tailing dam. These solids of the slurry settles and clear water are reclaimed and put in water recirculation system.

ii. Over burden

Quantity: 1974155 MT

This over burden does not contain any minerals and are inactive rocks. This waste is dumped in the non-mineralized zone area with 7 X 20 m lifts with 20 m benches between successive lifts. The rock faces are dozed and covered with available. 929.4MT of used oil is recovered from the different machinery and heavy earth movers. Used oil is stored in drums and kept in the specified area for disposal to registered rerefiners with MoEF / CPCB.

iv. Discarded - Containers and bags

Discarded containers of chemicals are stored in the earmarked place, decontamination is Carried out before disposal to TSDF.

PART-G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production:

Beneficiation plant is discharging the tailing slurry, which contains about 40% water and 60% solids. For this purpose tailing dam was constructed having an area of 1.30 sq. km. to collect water in down streamside. The pumps are installed at tailing dam to pump this water to reclaim pump house sump and from there it is pumped to beneficiation plant for reuse. To meet out water requirement, radial well constructed in Banas River bed and laid down 60 kms long pipe line for supply of water for industrial and domestic use. The water requirement for process plant is met by 60% reclaimed water of tailing dam and 40% by fresh water. The tailing dam is constructed with bottom and inside walls lined with impervious soil and HDPE for containment of tailings. The reclaimed water is used in plant to reduce the fresh water consumption by about 60%. The mine pit water is being used in process plant. Thus conserves water a natural resource.

PART-H

Addition measures/ investment proposal for environmental protection including abatement of pollution, prevention of pollution.

The following works are completed to improve the working environment

- 1. Haul road dust suppression by use of dust suppression chemical along with water to reduce the water consumption and air born dust.
- 2. Cleaning of industrial roads and yards by Mechanical Road Sweepers.

3. Regular plantation on matured benches, periphery, road side etc.

4. Application of geotextiles over waste dump slope at critical locations for reducing fugitive dust caused by high speed wind and improving slope stability.

PART-I

Any other particulars for improving the quality of the environment:

1. Air pollution control

• Dust from ore crushing and handling equipment is being controlled by dust extraction system through wet scrubber, dust suppression system & dust extraction system.

• Fortnightly monitoring of ambient air quality at 6 locations and stack emissions

from crushing section stack for suspended particulate matter.

Haul road fugitive emission controlled by regular water sprinkling with dust

suppression by 40 KL water sprinkler tankers.



Mechanical truck mounted road sweeper for road cleaning.




2. Water pollution control:

• Water quality of wells and piezometers around the mine complex is being monitored on quarterly basis.

• Tailing treatment and disposal: Tailings of beneficiation plant are treated with hydrated lime prior to pumping to the tailing dam and reclaimed water is pumped back to plant for reuse.

 Reclaim water reservoir of 50,000-m3 & 35000-m3 capacity, to reduce the water evaporation losses at tailing dam. Water from all the sources is pumped to this reservoir for recycling.



Noise and vibration control 3.

Cabins of all the HEMM are air-conditioned. Sound level of mining equipment, beneficiation plant is regularly monitored. Long hole open stopping blasting technique used in mine and Ground vibrations are regularly monitored by internal and external agencies.

Waste dump management 4.


Overburden is dumped in the form of 7 X 20 m lifts with an ultimate height of 140 m and having an angle of 45° and the overall slope of 27°. The rock faces are dozed and covered with the available top soil and saplings are planted on the inactive benches and slopes.

Plantation & Geotextiles 5.

- Till March 2023, 699280 Nos Plants in 348 Hectares area are surviving in acquired land of lease area of which 15000 saplings was planted in 2022-23.
- In township 74.0 hectares land was acquired and 29.00 hectares has been covered by greenbelt.
- Extensive plantation has been carried out along various road sides connected to plant and colony.







Geotextile Laying on waste dump slopes for rehabilitation or green belt development



Environmental awareness: 6.

IBM, Ajmer region organizes Mine Environment and Mineral Conservation Week host by Rampura Agucha mine. During celebration of Week, numbers of activities were carried out to increase environmental awareness among the employees. Some of the activities, which are done during the week, are posters, slogans and speech competitions.

- Celebration of World Environment Day on 5th June 2023.
- ISO-14001, ISO 9001, ISO 45001, ISO 50001 & SA 8000 audit by external agency.
- Legal training on Environmental rules & regulations and sustainability etc.
- Environmental awareness is part of works training at vocational training center as per VT rules.
- Online quiz test for employee on World Environment Day.
- Waste and water management awareness skits.
- Weeklong celebration on Energy Conservation Day and World Water Conservation Day

Water Conservation Measures: 7.

- Water from all the sources is pumped to Reclaim Water Reservoir of 50,000 m³ & 35,000 m³ capacity to reduce the evaporation losses.
- Use of reclaim water in place of fresh water in all the de-dusting systems and flocculants preparation tank.
- Created 8.72 MCM artificial ground water recharge structures at 4 blocks of
- Efficient operation of 425 KL/day Sewage Treatment Plant at residential colony and 300 KL/day Sewage Treatment Plant at Mine area.
- Collection of rainwater in sump & pumping back for usage



- Rampura Agucha Mines of M/s Hindustan Zinc Limited has become the first GreenCo rated mines in India. Unit was rated under silver category. GreenCo certification is a joint effort of CII and RSPCB.
- Overall 2nd place in 33rd Mines Environment & Mineral Conservation Week with
 - o Waste Dump Management 1st
 - o Reclamation and Rehabitation 1st
 - o Systematic and Scientific Development 2nd
- 51st All India Mines Rescue Competition 2022 (14th to 18th Nov'22) under the aegis of DGMS. RAM Won:
 - o Theory 1st
 - o First Aid 2nd
 - o Rescue Relay 2nd
 - RAM Unit bestowed with the 26th Bhamashah Award
- Zinc Kaushal Kendra Agucha received appreciation from Shri Ramlal Jat, Revenue Minister Rajasthan Govt. on Gandhi Jayanti for making rural youth self-relian



CEO - IBU Agucha Hindustan Zinc Limited Rampura Agucha Mines PO - Agucha Distt. - Bhilwara (Raj.)

Page 12 of 19