

Special High Grade (SHG) Zinc - 99.995%



Chemical Specifications

Component	Guaranteed Content	HZL Typical
Zinc (Zn)	99.9950% Min	99.9960% Min
Lead (Pb)	0.0030% Max	0.0020% Max
Copper (Cu)	0.0010% Max	0.0003% Max
Cadmium (Cd)	0.0030% Max	0.0002% Max
Iron (Fe)	0.0020% Max	0.0010% Max
Aluminium (Al)	0.0010% Max	0.0001% Max
Tin (Sn)	0.0010% Max	0.0001% Max




Hindustan Zinc's Special High Grade Zinc 99.995% conforms the following standards:

✓	ASTM B6-SHG Z13001 Grade
✓	BS EN 1179:2003 - ZI Grade
✓	ISO 752:2004 - ZN - Grade

Hindustan Zinc's - LME Registered Brands:

✓	"HZL SHG 99.995%"
✓	"HZL Zn SHG 99.995%"
✓	"VEDANTA SHG 99.995%"
✓	"VEDANTA Zn SHG 99.995%"

Slab Dimensions and View




Physical Specifications: All Dimensions in mm

Bundle Specifications

Ingot Weight	25 Kg each (+ /-2 Kg)
Bundle Weight	1000 Kg each (+ /-50 Kg)
Bundle Configuration	4 Ingots/Layer x 10 Layers
Bundle Dimensions	960 (+/-10) mm Length
	470 (+/-10) mm Width
	475 (+/-10) mm Height

Bundle Dimensions and View



Physical Specifications: All Dimensions in mm

**Innovating Metal,
Inspiring Life!**